



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/645,089	08/21/2003	David Ernest Hartley	PA-5340 -RFB	7302
9896 7590 12/28/2007 COOK GROUP PATENT OFFICE P.O. BOX 2269 BLOOMINGTON, IN 47402			EXAMINER TOWA, RENE T	
			ART UNIT 3736	PAPER NUMBER
			MAIL DATE 12/28/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/645,089	HARTLEY ET AL.	
	Examiner	Art Unit	
	Rene Towa	3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 September 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,7-9,11,12,14,28 and 35-47 is/are pending in the application.
- 4a) Of the above claim(s) 41-47 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,7-9,11,12,14,28 and 35-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This Office action is responsive to an amendment filed September 21, 2007. Claims 1, 3-4, 7-9, 11-12, 14, 28 and 35-47 are pending. Claims 1, 3-4, 9, 14 and 28 have been amended. Claims 2, 5-6, 10, 13, 15-27 and 29-34 have been cancelled. New claims 36-47 have been added. Claims 41-47 are withdrawn as pertaining to a non-elected invention.

Election/Restrictions

2. Newly submitted claims 41-47 are directed to an invention that is independent or distinct from the invention originally claimed for the following reasons: None of the originally presented claims 1 & 16, dated August 22, 2003 require a guide wire having 5 zones of differing stiffness (a first, a second, a third, a fourth, and a fifth zone; wherein the second, third, and fourth zones are transitional zones with correspondingly transitional stiffnesses) instead claims 1 & 16 required a guide wire having zones of varying stiffness (i.e. a central, a proximal and a distal zone such that the central zone is stiffer than both the proximal and distal zones; wherein the proximal zone is stiffer than the distal zone). Moreover, none of the initial claims required any section of the guide wire to be atraumatic. Furthermore, claims 1 & 16 are directed to a guide wire to assist percutaneous endovascular deployment whereas newly submitted claim 41 requires a guide wire that a stiffness to control large diameter, stiff devices but still not damage the vasculature or lumen of the delivery system.

Since applicant has received an action on the merits for the originally presented invention, this invention has been constructively elected by original presentation for

prosecution on the merits. Accordingly, claims 41-47 are withdrawn from consideration as being directed to a non-elected invention. See 37 CFR 1.142(b) and MPEP § 821.03.

Claim Rejections - 35 USC § 112

3. The rejection is withdrawn.

Claim Rejections - 35 USC § 102

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
5. **Claims 36-37 & 40** are rejected under 35 U.S.C. 102(b) as being anticipated by Rodriguez et al. (US 5,421, 349).

In regards to **claim 36**, Rodriguez et al. disclose a guide wire capable of assisting percutaneous endovascular deployment comprising:

a mandrel 11 of substantially constant diameter along its length in a central zone (see col. 3, lines 62-63);

a proximal portion 22 of the mandrel having a proximal tapered portion with a proximal wire coil 30 on and extending along the proximal tapered portion (see col. 2, lines 7-11);

a distal portion of the mandrel 11 comprising in order from the central zone;

a distal tapered portion and

a portion of constant reduced diameter with a distal wire coil 18 on and extending along the distal tapered portion 16 and the portion of constant reduced diameter (see figs. 1-2; col. 2, lines 19-20 & 66-68; col. 3, lines 26-29; see claim 1 of Rodriguez).

In regards to **claim 37**, Rodriguez discloses a guide wire wherein the diameter of the mandrel in the central zone, the coil diameter of the proximal wire coil and the coil diameter of the distal wire coil are of substantially equal (see fig. 1).

In regards to **claim 40**, Rodriguez discloses a guide wire wherein the distal wire coil 18 terminates in a rounded tip (see fig. 1).

Claim Rejections - 35 USC § 103

6. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

7. **Claims 38-39** are rejected under 35 U.S.C. 103(a) as being unpatentable over Rodriguez et al. ('349) in view of Ferrera (US 6,165,140).

Rodriguez et al. disclose a guide wire, as described above, that fails to explicitly teach a radiopaque guide wire or a polytetrafluoroethylene coated wire coil.

However, Ferrera discloses a guide wire comprising a radiopaque guide wire and a wire coil having a portion 40 coated with polytetrafluoroethylene (PTFE) (see column 3/lines 42-48).

It would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Rodriguez et al. with a PTFE coating similar to that of Ferrera in order to improve the lubricity of the guide wire and fixedly maintain the wire coil in place. Moreover, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Rodriguez et al. as modified above with a

Art Unit: 3736

radiopaque coil similar to that of Ferrera in order to increase the visibility of the guide wire under fluoroscopy.

8. **Claims 1, 4, 7-9 & 11-12, 14 and 28** are rejected under 35 U.S.C. 103(a) as being unpatentable over Clayman et al. (US 6,716,183) in view of Radisch, Jr. (US 5,295,493) further in view of Sakamoto et al. (US 4,925,445).

In regards to claims 1, 4, 7-9 & 11-12, Clayman et al. disclose(s) a guide wire to assist in anatomic deployment, the guide wire having zones of varying stiffness comprising:

an elongate central zone 18 of high stiffness, and substantially constant diameter along its length;

a proximal zone 21 of transition from high stiffness to semi-stiffness and having a length; and

a tapered segmental distal zone 16 of transition from high stiffness to being relatively flexible;

wherein the proximal zone 21 comprises a tapered mandrel with a proximal wire coil 41 of substantially constant coil diameter on and extending along the tapered mandrel;

wherein the proximal wire coil is laser welded to the tapered mandrel (see fig. 7; column 6/lines 45-48);

wherein the proximal wire coil terminates in a rounded tip 50 (see fig. 2) ;

wherein the distal zone 16 comprises in order from the central zone 18, a tapered mandrel portion 30 and a portion of constant reduced diameter 25 with a distal wire coil 34 of substantially constant coil diameter on and extending along the tapered mandrel portion 30 and the portion of constant reduced diameter;

wherein at least a portion the guide wire is radiopaque (i.e. the coil made out of stainless steel, see column 5/lines 36-37) (see figs. 1A-B; column 4/lines 6-14, 30-32 & 54-67; column 5/lines 1-18 & 26-28).

Clayman et al. disclose a guide wire, as described above, that teaches all the limitations of the claims except Clayman et al. do not expressly teach a distal zone that includes a pre-formed curve or a tip curve.

However, Radisch, Jr. discloses a guide wire comprising a distal zone wherein the distal zone comprises a distal pre-formed curve (22, 30, 40, 30a) with a radius; wherein the central zone comprises a stainless steel mandrel (see figs. 1-1A, 2-2A, 3-3A & 4-4A; column 2/lines 52-68; column 3/lines 1-6 & 24-28; column 4/lines 15-22, 30-42 & 58-67; column 5/lines 12-18 & 33-45).

Moreover, Sakamoto et al. disclose a guide wire comprising a tip curve (see figs. 1 & 5A-D).

In regards to **claim 1**, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. with a pre-formed curve distal zone similar to that of Radisch, Jr. so that the guide wire conforms to the general anatomical shape of the body cavity to thereby

hold the guide wire in its prepositioned place (see Radisch, Jr., column 2/lines 52-68; column 3/lines 24-28). Moreover, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. with a stainless steel central portion similar to that of Radisch, Jr. in order to provide a core wire of a suitably strong material that can be formed and maintained in a desired shape (see Radisch, Jr., column 4/lines 18-22).

Furthermore, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. as modified by Radisch, Jr. with a tip curve similar to that of Sakamoto et al. in order to prevent the tip portion of the guide wire from piercing the wall of the blood vessel (see Sakamoto et al., column 5/lines 57-64).

More in regard to **claim 1**, Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. disclose a guide wire, as described above, that teaches all the limitations of the claims except for a proximal zone length of 3 cm to 20 cm, a distal zone pre-formed curve radius of 5 cm to 15 cm, and tip zone radius of 5 to 20 mm. Instead Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. teach a proximal zone having a length, a distal zone pre-formed curve having a radius, and tip zone having a radius.

At the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to provide a guide wire having a distal zone pre-formed curve radius of 5 cm to 15 cm, and tip zone radius of 5 to 20 mm because the Applicant has not disclosed that a distal zone pre-formed curve radius of 5

cm to 15 cm, and tip zone radius of 5 to 20 mm are critical and provide an advantage, are used for a particular purpose, or solve a stated problem. One of ordinary skill in the art, furthermore, would have expected the guide wire of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al., and Applicant's invention to have performed equally well because the guide wire would perform the same function of:

providing sufficient flexibility to the proximal section so as to facilitate retrograde access insertion into the guide channel of an instrument (see Clayman et al., column 4/lines 60-63; see Radisch, Jr., column 2/lines 52-57);

providing a distal zone pre-formed curve radius sufficient for conforming to the general anatomical shape of the body cavity to thereby hold the guide wire in its prepositioned place (see Radisch, Jr., column 2/lines 52-68; column 3/lines 24-28; see Sakamoto et al., column 5/line 65 to column 6/line 2); and,

providing a tip zone radius sufficient to prevent the tip portion of the guide wire from piercing the wall of the blood vessel (see Sakamoto et al., column 5/lines 57-64).

Therefore, it would have been prima facie obvious to modify Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. to obtain the invention as specified in claim 1 because such a modification would have been considered a mere design consideration which fails to patentably distinguish over the prior art of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al.

In regards to **claim 14**, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. with a distal curve that

overlaps the distal and central zone since such a modification would amount to an obvious design choice that would the same purpose of smoothly increasing the flexibility of the guide wire towards the distal end thereof; and prevent breakage of the guide wire at said overlapping portion (see Sakamoto et al., column 5/lines 50-56).

9. **Claims 28 & 35** are rejected under 35 U.S.C. 103(a) as being unpatentable over Clayman et al. ('183) in view of Radisch, Jr. ('493) further in view of Sakamoto et al. ('445) even further in view of Ferrera (US 6,165,140).

Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. disclose a guide wire, as described above, that fails to explicitly teach a radiopaque guide wire or a polytetrafluoroethylene coated wire coil.

However, Ferrera discloses a guide wire comprising a radiopaque guide wire and a wire coil having a portion 40 coated with polytetrafluoroethylene (PTFE) (see column 3/lines 42-48).

It would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. with a PTFE coating similar to that of Ferrera in order to improve the lubricity of the guide wire and fixedly maintain the wire coil in place. Moreover, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to provide a guide wire similar to that of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al. with a radiopaque coil

Art Unit: 3736

similar to that of Ferrera in order to increase the visibility of the guide wire under fluoroscopy.

Response to Arguments

10. Applicant's arguments filed September 21, 2007 have been fully considered but they are not persuasive. Applicant's, the extent that one would consider them responsive to the Office action, essentially alleges that the Examiner has failed to "articulate any reason why the addition of Radish, Sakamoto would have been obvious."

In response the Applicant's argument, the Examiner respectfully traverses. The Examiner is utterly puzzled by the Applicant's gross mischaracterization and representation of the Examiner's last Office action. For starters, here is an exemplary motivational statement from the Examiner's last and instant Office action:

At the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to provide a guide wire having a distal zone pre-formed curve radius of 5 cm to 15 cm, and tip zone radius of 5 to 20 mm because the Applicant has not disclosed that a distal zone pre-formed curve radius of 5 cm to 15 cm, and tip zone radius of 5 to 20 mm are critical and provide an advantage, are used for a particular purpose, or solve a stated problem. One of ordinary skill in the art, furthermore, would have expected the guide wire of Clayman et al. as modified by Radisch, Jr. and Sakamoto et al., and Applicant's invention to have performed equally well because the guide wire would perform the same function of: providing sufficient flexibility to the proximal section so as to facilitate retrograde access insertion into the guide channel of an instrument (see Clayman et al., column 4/lines 60-63; see Radisch, Jr., column 2/lines 52-57); providing a distal zone pre-formed curve radius sufficient for conforming to the general anatomical shape of the body cavity to thereby hold the guide wire in its prepositioned place (see Radisch, Jr., column 2/lines 52-68; column 3/lines 24-28; see Sakamoto et al., column 5/line 65 to column 6/line 2); and, providing a tip zone radius sufficient to prevent the tip portion of the guide wire from piercing the wall of the blood vessel (see Sakamoto et al., column 5/lines 57-64).

To consider such a lengthy explanation as "mere conclusory statements" is puzzling. Applicant's reply is replete with such mischaracterizations, which curiously fail to respond to the essence of the rejections.

In view of the foregoing, the rejections over Clayman et al., Radisch and Sakamoto are maintained.

Conclusion

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rene Towa whose telephone number is (571) 272-8758. The examiner can normally be reached on M-F, 8:00-16:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3736

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RTT

A handwritten signature in black ink, appearing to read "M. H. Anderson", is located in the lower right quadrant of the page. The signature is written in a cursive, flowing style.